

SBS GOVT. P.G. COLLEGE



PIPARIYA



SSR DOCUMENT

2018-19 TO 2022-23

CRITERION - 4

Infrastructure and Learning Resources

Metrics No.4.3.2.1

Document Title:

BILLS OF COMPUTERS PURCHASED

श्रमलभ्या सरस्वती

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – heggpciphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



कार्यालय प्राचार्य, शहीद भगत सिंह
शासकीय स्नातकोत्तर महाविद्यालय
पिपरिया, जिला-नर्मदापुरम् (म.प्र.)

NAAC द्वारा B+ ग्रेड में प्रत्याक्षित
ईमेल: heggpciphos@mp.gov.in
महाविद्यालय कोड: 3203
फोन/फैक्स: 07576-220112
वेबसाइट: www.gpgcpipariya.nic.in



OFFICE OF THE PRINCIPAL, SHAHEED BHAGAT SINGH
GOVERNMENT P. G. COLLEGE
PIPARIYA, DIST-NARMADAPURAM (M.P.)

Accredited by NAAC with B+ Grade
E-mail: heggpciphos@mp.gov.in
COLLEGE CODE: 3203
PHONE /FAX: 07576-220112
Website: www.gpgcpipariya.nic.in

Ref No. 1440/Est/SBSGPGCP/2024


Pipariya, Date 19.06.2024

DECLARATION

This is to declare that the information, reports, true copies of supporting documents, numerical data etc. furnished in this file as supporting documents are verified by IQAC and found correct.


IQAC Coordinator
Coordinator (IQAC)
Internal Quality Assurance Cell
S. B. S. Govt. P. G. College
PIPARIYA (M. P.)


Principal
PRINCIPAL
Shaheed Bhagat Singh Govt. P.G. College
PIPARIYA (M. P.)



Shaheed Bhagat Singh Government P.G. College Pipariya

Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgciphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



INDEX

S.No.	Title	Year	Page No.
1	BILLS OF COMPUTERS PURCHASED	2018-2019 to 2022-2023	1-23



Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgcpiparos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



Purchased Bills/Copies highlighting the number
of computers purchased

कार्यालय प्राचार्य, शाहीद भगत सिंह
शासकीय स्नातकोत्तर महाविद्यालय
पिपरिया, जिला-नर्मदापुरम् (म.प्र.)
NAAC हात B+ ग्रेड में सुनांकित
ईमेल: hegpgcpiparos@mp.gov.in
महानिदेशक कोड 3203
फोन/फैक्स: 07576-220112
वेबसाइट: www.sbsgovtpgcollegepipariya.nic.in

OFFICE OF THE PRINCIPAL, SHAHEED BHAGAT SINGH
GOVERNMENT P. G. COLLEGE
PIPARIYA, DIST. NARMADAPURAM (M.P.)
Accredited by NAAC with B+ Grade
E-mail: hegpgcpiparos@mp.gov.in
COLLEGE CODE: 3203
PHONE/FAX: 07576-220112
Website: www.sbsgovtpgcollegepipariya.nic.in

क्र. 1033/स्था./एस.बी.एस.शा.म.पि./2024 पिपरिया दिनांक 03/03/24

आंतरिक गुणवत्ता जाँच प्रमाण पत्र

प्रमाणित किया जाता है कि हम आंतरिक गुणवत्ता जाँच समिति के सदस्य संयुक्त रूप से इस बात से संतुष्ट हैं कि विश्ववैक पोषित शिक्षा, गुणवत्ता उन्नयन परियोजना के तहत कम्प्यूटर लैब से संबंधित सामग्री (कम्प्यूटर सॉफ्ट एवं अन्य सामग्री) महाविद्यालय के स्टॉक रजिस्टर के पृष्ठ क्रमांक 106 एवं 107 पर दर्ज कर ली गई है एवं उक्त सामग्री गुणवत्ता पूर्ण, निर्धारित मापदंडों के अनुरूप पाई गई है तथा यह सामग्री विद्यार्थियों के लिए उपयोगी है।

गुणवत्ता जाँच समिति के सदस्यों के नाम एवं हस्ताक्षर

01. डॉ. एस. के. मेहरा (प्रभारी, स्नातक परीक्षा) [Signature]
02. डॉ. अनिता सेन (प्रभारी, वि.बे. पीपीओ) [Signature]
03. डॉ. श्रीमती मीरा [Signature]
04. डॉ. सुनील कुमार [Signature]
05. डॉ. रवि विश्वकर्मा (2024) [Signature]

o/c

(डॉ. आर. के. वर्मा)
प्राचार्य
शाहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgcpiphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



BPE
www.bpee.com Strategic Power Solutions


Warranty Certificate

Date: 20-Feb-24

TO WHOM SO IT MAY EVER CONCERN

This is to certify that BPE have supplied 10KVA ONLINE UPS (S.NO : P42B24A06804/6805/6806/6807/6808 / 6809 / 6810 / 6811 / 6812 / 6813 (Qty 10Nos) along with BATTERY BANK 12V/90AHX15 NOS (Qty 10Set) Bill to M/s REDINGTON LIMITED and Consignee REDINGTON LIMITED, against their Po No.: B30450393 dated 06.02.2024 ARCEUS INFOTECH PVT. LTD. - (AIPL/REDINGTON (BPE)/RUSA/23-24/128) online UPS supplied against this PO has Five years warranty on UPS and Two year on Batteries from the date of Invoice. This warranty is applicable only on against BPE Invoice No. ND/23-24/8702, dated: 15-Feb-24.

For Best Power Equipment's (I) Pvt. Ltd.

Authorized Signatory

Best Power Equipments (India) Private Limited
Regd. Office: 812A, 8th Floor, Shakuntla Building, 59, Nehru Place, New Delhi - 110019 India | PH: +91 11 46631222 | Website: www.bpe.co.in
Factory & Corporate Office: G - 240, Sector - 63, Noida, Distt. Gautam Buddh Nagar, UP - 201307 India | PH: +91 120 4637000, 4637019 | Mail: crm@bpe.co.in
Branches: Delhi | Noida | Lucknow | Ludhiana | Ahmedabad | Mumbai | Pune | Hyderabad | Bangalore | Chennai | Cochin | Patna | Bhubaneswar | Kolkata | Guwahati

Power Every Where

Shaheed Bhagat Singh Government P.G. College Pipariya

Distt.- Narmadapuram (M.P.)



College Code - 3203

Accredited by NAAC with B+ Grade

AISHE Code - C-35178

Email - hegpgciphos@mp.gov.in, Website - www.sbsgovtpgcollegepipariya.in, Phone/Fax - 07576-220112



Stock Register							Name of Articles							
S.No.	Name of Shop	Particular	Bill No. Date	Quantity	Rate	Cost	Signature of Principal	S.No.	Issued	Quantity	Signature of Officer	Balance	Signature of Principal	Remarks
01	Aravind Infotech	1. Laptop Computer		39	50,622.14	19,74,457.41				39				
		2nd floor, 1st												
		road, Hapur.												
		Zone-2, MP Nagar												
		Hotel												
		3. Multi-Function		01	44,889.82	44,889.82				01				
		Printer with fax												
		Connectivity to												
		Aravind each computer												
		3. Up to 10 Kva and 10		01	1,52,823.80	1,52,823.80				01				
		4. High end Desktop		01	57,688.14	57,688.14				01				
		Desktop in Aravind												
		7. Multi-Function												
		5. 24x7 post Network												
		Subnet with router												
		1. Networked		01	20,227.97	20,227.97				01				
		6. C-Practical power												
		Cableway (CATE Gold)												
		CATE patch Cord-2												
		Use for each College												
		RTAC Cable for												
		14 Network Jack												
		Long box + Face plate												
		Including wiring												
		Cabling, laying wiring												
		and cabling other		01	77,871.92	77,871.92				01				
		7. Electrification with												
		15 cabling from												
		power		01	144,891.53	144,891.53				01				
		8. Supply Installation of												
		the portable fire												
		Extinguisher suitable												
		for fire types		02	2,877.87	5,755.74				02				

Accredited by NAAC with B+ Grade

[illegible]

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code - 3203

Accredited by NAAC with B+ Grade

AISHE Code - C-35178

Email - hegpgcpihos@mp.gov.in, Website - www.sbsgovtpgcollegepipariya.in, Phone/Fax - 07576-220112



म. प्र. उच्च शिक्षा गुणवत्ता सुधार परियोजना 7464 अंतर्गत प्राप्त सामग्री की जानकारी

महाविद्यालय का नाम :- एस. बी. एस. शास. ला. महावि. पिपरिया
महाविद्यालय का कोड क्रमांक :- 3203

प्रमाण पत्र

प्र. उच्च शिक्षा गुणवत्ता सुधार परियोजना अंतर्गत महाविद्यालयों को विभिन्न प्रकार के लैब इक्विपमेंट निर्धारित आईटीपी अनुसार प्रदान किये जा रहे हैं। जैम पोर्टल की अनुबंधित इकाई का नाम

Pvt. Ltd. के जारी आदेश प्रति संलग्न) क्रमांक 2019/49/SPD/LOB/REP/2024
जारी किया गया था। इसे तारतम्य में संबंधित फर्म द्वारा इस महाविद्यालय को निम्नानुसार सामग्री प्रदाय की गई है।

सामग्री का नाम	जैम पोर्टल के माध्यम से संबंधित बैडर के पक्ष में जारी उक्त आदेश में दर्शित संख्या	वास्तविक रूप से कार्यालय को प्राप्त संख्या	जैम पोर्टल का सामग्री कोड क्रमांक जिसके स्पेसिफिकेशन के अनुसार महाविद्यालय को सामग्री प्राप्त हुई है।	जैम पोर्टल द्वारा निर्धारित इकाई सामग्री की दर राशि रुपये में	स्टॉक पंजी व पृष्ठ क्रमांक
Computer Lab,	98	01	HSN: 847130,	RS-	Page
Setting, Installing,			8443100	2730607.63	of WB
Commissioning			85644090		Regis.
Complete			84713099 etc.		106707

उक्त समस्त सामग्री इस महाविद्यालय को दिनांक 02/05/2024 प्राप्त हुई है। (चालान प्रति संलग्न)।

तृतीय पक्ष द्वारा कंप्यूटर लैब इक्विपमेंट के गुणवत्ता प्रमाण पत्र इस महाविद्यालय/संस्थान को प्राप्त हुआ है (प्रतिलिपि संलग्न)।

प्राप्त सामग्री में निर्धारित होलोग्राम एवं ब्रांडिंग उच्च शिक्षा गुणवत्ता उन्नयन परियोजना सहायतित अंकित है, जिसे समस्त सामग्री में चेक कर लिया गया है जो प्रमाण पत्र में दर्शित अनुसार पूर्णतः समान है। समस्त सामग्री एवं उपयोग हेतु उपयुक्त नहीं है, उस सामग्री को संबंधित प्रदायकता से प्राप्त नहीं किया गया है। प्राप्त सामग्री आदेश में दर्शित अनुसार है।

संबंधित फर्म के द्वारा उक्त प्रदाय के संबंध में देयक क्रमांक 31

दिनांक 18/4/24 राशि रु0 अंको में (कर सहित) 3222117.00/- प्रस्तुत किया है देयक मूल रूप से दो प्रतियों में संलग्न कर प्रेषित किया जा रहा है। जिसकी प्रति इस कार्यालय में संधारित कर ली गई है। देयक एवं सामग्री की प्रविष्टि इस महाविद्यालय की भण्डार स्टॉक पंजी में कर ली गई है सामग्री निर्धारित अनुसार पूर्ण रूप से प्राप्त होने की पुष्टि करने, के उपरांत प्रमाणीकरण भी देयक पर किया गया है। भुगतान की अनुशंसा की जाती है।

विश्व बैंक प्रभारी के हस्ताक्षर

नाम एवं पदनाम

मोबाईल नं०

Dr. Anil Kumar
8269461282

प्राचार्य के हस्ताक्षर

नाम

मोबाईल नं०

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – heggpciphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



Arceus Infotech Pvt. Ltd.

Plot No. 162, Modi Heights, Zone-2, M.P. Nagar, Bhopal-462011

Ph.: 0755-4292954, Website : www.arceus.in

Email : info@arceus.in, CIN No.: U52399MH201PTC205702

Supply, Installation, Implementation & Completion Certificate

College Name: Govt PG College, Pipariya

College Address: Q86X+7MF, Shobhapur Road, Pipariya, Madhya Pradesh 461775 Code: 3203

Principal Name:

Work Completion Date:

Below mentioned material has been received and installation completed by Arceus Infotech Pvt Ltd at our college.

Part 1

Sr.No.	Items	Quantity	Installed	Supporting Doc.	Check Box
1	Desktop Computer Intel i5 / AMD Ryzen Antivirus , MS Office standard Academic Version, software's licenses valid for 5 years	39			
2	Multi-Function Printer with Lan Connectivity to access each Computer	1			
3	UPS 10 KVA Online,15 batteries with connectors, battery rack	1			
4	High End Desktop Intel i7/AMD RyzenTM 7 with Antivirus (as Local Server),MS Office standard Academic Version, software's licenses valid for 5 years	1			
5	24x2 Port Network Switch with rack- Unmanaged	1			
6	Operational Passive Cabling (CAT 6 Cable, CAT 6 Patch Cord- 50 nos for each college, RJ45 CAT6E Lan I/O Network Jack + Gang Box + Face Plate, including Casing, capping, laying, fixing and any other required item for completing setting and commissioning of the system)	1			
7	Electrification with ISI cabling from Power Distribution Points to Computer Tables (supply, Installation, Testing, commissioning of UPS and Power supply connecting to computer Table)	1			
8	Supply, Installation of the Portable Fire Extinguisher suitable for ABC Types of Fire 4.0 kg or higher Capacity as IS Specifications	2			
9	Workstations, including power distribution points for each Table Electrical 5 Amps 3 Nos with socket Switches, RJ45 I/O, Telephone Point	40			
10	Computer chair	40			

सत्य प्रतिनिधि
प्राचार्य

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgcpiparos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



Annexure (A)

Sr. No.	Items	Quantity	Installed	Supporting Doc.	Check Box
1	Software Installation				
	OS: Windows 11 is built in Desktop	40			
	Antivirus	40			
	MS office	40			
2	9U Rack	1			
3	Electrical work: Details sheet attached				
	6A Switch ISI 10 Amp				
	6A 3Pin Socket ISI				
	16A Switch ISI 20Amp				
	8 Module Plate				
	MCB 32A 1P10Kc Class				
	MCB 16A Sp 10Kc Class				
	4Way Tpn Mcb Box Dd				
	Polycab/Rr 2C X 6Sqmm Flexible				
	2Inch PVC Casing				
	PVC Duct 60X60X				
	Mcb 63A 1P 10K C Class				
4	Mcb 63A 2P 10K C Class				
	4 Way Mcb Box				
	Polycab Cu.Flexible 2.5Sqmm Red				
	Polycab Cu.Flexible 2.5Sqmm Black				
	Polycab Cu.Flexible 1.5Sqmm Green				
5	Stickers : Desktopi5, Printer, UPS,Desktopi7,9U Rack, Network Switch, MCB Box, Fire Extinguisher, Table				
6	PDI Reports				

Note: Electric material quantity vary as per room size of college.

Date:

Principal Seal & Sign

सत्य प्रतिलिपि

प्रचार्य

शहीद भगतसिंह शास्त्र. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – heggpcpipos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



Delivery Challan			
Delivery Challan No: 31		Delivery Challan Date:	
Consigner:- Arceus Infotech Pvt Ltd. Plot No.162,Zone 2,Modi Heights,Zone-2, MP Nagar,Bhopal-46022,GSTIN,UIN: 23AACCI3968E1ZP		Receiving Date:	
Contact No.: 9770911465,7415499419		Consignee:- Govt PG College, Pipariya Q86X+7MF, Shobhapur Road, Pipariya, Madhya Pradesh 461775 Code: 3203	
Please receive the following items & return the acknowledgement copy duly signed and seal			
Sr.No.	Description	Qty	HSN/SAC Code
1	ACER Desktop Computer Intel i5 / AMD Ryzen Antivirus , MS Office standard Academic Version, software's licenses valid for 5 years	39	847130, 852852
2	Kyocera Multi-Function Printer	1	84433100, 85444999
3	UPS 10 KVA Online,15 batteries with connectors, battery rack	1	85044010, 85072000
4	ACER High End Desktop Intel i7/AMD RyzenTM 7 with Antivirus (as Local Server),MS Office standard Academic Version, software's licenses valid for 5 years	1	847130, 852852
5	24 Port Network Switch with rack- Unmanaged	2	85176920
6	Operational Passive Cabling (CAT 6 Cable, CAT 6 Patch Cord- 50 nos for each college, RJ45 CAT6E Lan I/O Network Jack + Gang Box + Face Plate, including Casing, capping, laying, fixing and any other required item for completing setting and comissioning of the system)		85444992, 85389000
7	Portable Fire Extinguisher suitable for ABC Types of Fire 4.0 kg	2	
8	Computer Table	40	94031010
9	Computer chair	40	94031010
10	9U Rack	1	84733099
11	Electric Material:		
	6A Switch ISI 10 Amp		
	6A 3Pin Socket ISI		
	16A Switch ISI 20Amp		
	8 Module Plate		
	MCB 32A 1P10Kc Classs		
	MCB 16A 5p 10Kc Class		
	4Way Tpn Mcb Box Dd		
	Polycab/Rr 2C X 6Sqmm Flexible		
	2Inch PVC Cassing		
	PVC Duct 60X60X		
	Mcb 63A 1P 10K C Class		
	Mcb 63A 2P 10K C Class		
	4 Way Mcb Box		
	Polycab Cu.Flexible 2.5Sqmm Red		
	Polycab Cu.Flexible 2.5Sqmm Black		
	Polycab Cu.Flexible 1.5Sqmm Green		
For Arceus Infotech Pvt Ltd		Consignee Name:	
 सत्य प्रतिलिपि प्राचार्य आर्केयस इन्फोटेक प्राइवेट लिमिटेड शासक स्नातक महाविद्यालय पिपरिया (म.प्र.)		(Received the above Goods in Good Condition)	
Authorized Signatory		Authorized Signatory	



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code - 3203

Accredited by NAAC with B+ Grade

AISHE Code - C-35178

Email - hegpgcpiphos@mp.gov.in, Website - www.sbsgovtpgcollegepipariya.in, Phone/Fax - 07576-220112



Arceus Infotech Pvt. Ltd.

Plot No. 162, Modi Heights, Zone-2, M.P. Nagar, Bhopal-462011

Ph.: 0755-4292954, Website : www.arceus.in

Email : info@arceus.in, CIN No.: U52399MH201PTC205702

Tax Invoice

Arceus Infotech Pvt Ltd  3RD FLOOR, 162, MODI HIEGHTS, ZONE-2 M P NAGAR, Bhopal, Madhya Pradesh, 462011		Invoice No. 31	Invoice Date: 18-Apr-24			
		Supplier's Reference:	Model/Terms of Payment: As per PO			
		IRN:- 282f52626522f96a9c48fdce895b6d115f cd54da3de1e14dce13af1c37aa1726				
Billing Address:	Shipping Address:	Buyer's Purchase Order No.	PO Date:			
Directorate of Higher Education MP Bhopal Plot No 192, AVN Tower, Zone 1, MP Nagar Bhopal, Madhya Pradesh - 462011 GSTIN: 23BPLD01632B2DX	Govt PG College, Pipariya Q86X+7MF, Shobhapur Road, Pipariya, Madhya Pradesh 461775 Code: 3203	2109/49/SPD/WB/RFP/2022/Computer Lab98HEIs Bhopal	15-Sep-23			
		Dispatch Document Number: NA	Delivery Note Date: NA			
		Dispatched through: NA	Destination Pipariya, Madhya Pradesh (3203)			
SI No.	Reference	HSN/SAC Code	Qty	Unit Rate in INR	Amount in INR	
1	Desktop Computer Intel i5 / AMD Ryzen TM 5 with Antivirus	847130	39	50,627.12	19,74,457.63	
2	Multi-Function Printer with Lan Connectivity to access each Computer	84433100	1	44,389.83	44,389.83	
3	UPS 10 KVA Online	85044090	1	1,52,833.90	1,52,833.90	
4	High End Desktop Intel i7/AMD Ryzen TM 7 with Antivirus	84713099	1	57,688.14	57,688.14	
5	24x2 Port network Switch with rack- Unmanaged	84733099	1	20,227.97	20,227.97	

सत्य प्रतिलिपि


प्राचार्य

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgcpiphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



6	Operational Passive Cabling (CAT 6 Cable, CAT 6 Patch Cord- 50 nos for each college, RJ45 CAT6E Lan I/O Network Jack + Gang Box + Face Plate, including Casing, capping, laying, fixing and any other required item for Completing setting and Commissioning of the system	85446090	1	77,877.97	77,877.97
7	Electrification with ISI cabling from Power Distribution Points to Computer Tables (supply, Installation, Testing, commissioning of UPS and Power supply connecting to computer Table)	73079990	1	1,46,091.53	1,46,091.53
8	Supply, Installation of the Portable Fire Extinguisher suitable for ABC Types of Fire 4.0 kg or higher Capacity as IS Specifications	84241000	2	2,977.97	5,955.93
9	Workstations, Computer chair, Work station to include for each Table Electrical 5 Amps 3 Nos with socket Switches, RJ45 I/O, Telephone Point	94031010	40	6,277.12	2,51,084.75
Total					27,30,607.63
CGST @9%					2,45,754.69
SGST @9%					2,45,754.69
Round off					
Grand Total					32,22,117.00

Amount In words: INR Thirty-Two Lakhs Twenty-Two Thousand One Hundred and Seventeen only

Remarks:

Company's PAN: AACCI3968E

GST No. 27AACCI3968E1ZH

Declaration:

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct to the best of knowledge.

Company Bank Details:

Bank Name: HDFC Bank

Account No: 50200071861491

Branch Name: Thakur complex, Kandivali (E)

IFSC Code: HDFC0000182

For Arceus Infotech Pvt Ltd

सत्य प्रतिलिपि

प्राचार्य

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)

Authorized Signatory



AnyScanner



राष्ट्रीय सीमेंट एवं भवन सामग्री परिषद्
(भारत सरकार के वाणिज्य एवं उद्योग मंत्रालय के प्रशासनिक शासनाधीन)
National Council for Cement and Building Materials
(Under the Administrative Control of Ministry of Commerce & Industry, Govt. of India)

34 कि.मी. स्टोन, दिल्ली-मथुरा रोड (एन.एच.-2), बल्लभगढ़ - 121 004, हरियाणा, भारत
34 Km Stone, Delhi-Mathura Road (NH-2), Ballabgarh - 121 004, Haryana, India

• दूरभाष / Tel: +91-129-4192222, 2242051 • फैक्स / Fax: +91-129-2242100 • ई-मेल / E-mail: nccbm@ncbIndia.com • वेब / Web: www.ncbIndia.com

Date: 04.04.2024

PRE DESPATCH INSPECTION CERTIFICATE

Name of inspection Agency: National Council for Cement & Building Materials (NCCBM)

Certificate No: SP6597/PDI 116

This is to certify that NCCBM team attended the inspection of works (Manufacturer/Seller) premises of M/s Arceus Infotech Pvt. Ltd. Bhopal on 20.02.2024, 20.03.2024 & 01.04.2024 for the purpose of inspection of items as described below:

Section 1

Name of the item	Multifunction Printer
Code of Item	84433100
Supply order No. and date	AIPL/Techb/RUSA/23-24/138, 17.1.2024
Name & Address of Indenter	State Project Directorate, MP Higher Education Quality Improvement Project (MPHEQIP) Address: 192 AVN Towers, RUSA office, Mezzanine Floor, MP Nagar Zone 1, BHOPAL, MADHYA PRADESH-462011, INDIA
Name of Consignee	College wise list attached

Inspection Details

Name of Inspection officer(s)	Sh. Vinay Kant, Sh. P.K. Singh
Place of Inspection	M/s Arceus Infotech Pvt. Ltd. Bhopal
Product Specification (Tender no.)	Ecosys2640idw Multifunction Printer with Lan connectivity 49/SPD/WB/RFB/2022-23
Date of Inspection	20.02.2024, 20.03.2024 & 01.04.2024
Total Order Quantity	98
Offered Quantity for Inspection	98
Inspected quantity	98
Accepted Quantity	98
Rejected Quantity	NIL
Reason for Rejection	Not Applicable
Quantity previously passed with inspection certificate no. & Date	NIL



In Pursuit of Excellence in Cement and Concrete

Hyderabad Unit

NCB Bhawan, Old Bombay Road,
Gachibowli, Hyderabad - 500 008

• Tel : +91-40-23180426/400 • Fax : +91-40-23000343, 23006738 Page 1 of 3

• E-mail : hyd2_ncbhyd@bsnl.in

Ahmedabad Unit

Smeeth Bungalows, B/h Planet House-2 (PH-2),
Shubh-Labh Apts., Off Judges Bungalows Road,
Bodakdev, Ahmedabad - 380 054, Gujarat, India

• Tel. : +91-79-26855840 • Fax : +91-79-40305841

• E-mail : brcncb@rediffmail.com

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya

Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgcpiphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



SECTION 2


SAMPLING DETAILS

Date of sample collection for Sampling (if required)	As per demo
Sample details- No., Size	As per sample deposited
Name of testing lab	NIL
Date of despatch of sample to lab for testing	NIL
Test report received date	NIL
Result of test report	NIL
Review of raw material (If required)	NIL
Affix Quality control Sticker Number	NIL
Any other parameter required for inspection of the offered item	27587 to 27684
	NIL

SECTION 3

OBSERVATIONS/DEVIATION SHEET

S.NO	Description of Product specifications	Deviations (if Any)
1.	Printing Technology – LASER	No
	Cartridge Technology - Composite/ Separate Drum & Toner	
	Type of Printing - Mono (Black Only)	
	Paper Size - A4 / Legal	
	Duplexing Feature – Yes	
	Print - Speed (A4) - Mono (PPM) Min. 20 ppm or higher	
	Scanning Feature – Yes	
	Scan - Auto document feeder capacity Min. 20 sheets	
	Memory / RAM Size (MB) - Min. 64 MB or higher	
	Network Connectivity – Yes	
	Type of Network Interface - Ethernet 10/100/1000	
	Wireless Connectivity – Yes	
	No of Paper Tray - Min. 1	
	Paper Tray Capacity - Min. 150	
	Bypass Facility – Yes	



Page 2 of 3

सत्य प्रतिलिपि

[Signature]
प्राचार्य

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प.)



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgciphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



Duty Cycle / Month (No of Prints) - Min. 10000 or Higher	
BIS Registration under CRS of Merity – Yes	
BIS Registration No. – Yes	
On Site OEM warranty (Year) - Min. 5	

SECTION 4

OBSERVATION SUMMARY

S.NO.	SUMMARY
1	The Product was inspected for its specification and functionality. There was no deviation observed in the product. The product was found satisfactory and approved for despatch.



Signature.....
Name.....VINAY KANT
Designation.....MANAGER
Seal.....

सत्य प्रतिलिपि

RK
प्राचार्य

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



राष्ट्रीय सीमेंट एवं भवन सामग्री परिषद्
(भारत सरकार के वाणिज्य एवं उद्योग मंत्रालय के प्रशासनिक शासनाधीन)
National Council for Cement and Building Materials
(Under the Administrative Control of Ministry of Commerce & Industry, Govt. of India)

34 कि.मी. स्टोन, दिल्ली-मथुरा रोड (एन.एच.-2), बल्लभगढ़ - 121 004, हरियाणा, भारत
34 Km Stone, Delhi-Mathura Road (NH-2), Ballabgarh - 121 004, Haryana, India
• टेल / Tel: +91-129-4192222, 2242051 • फैक्स / Fax: +91-129-2242100 • ई-मेल / E-mail: nccbm@ncbIndia.com • वेब / Web: www.ncbIndia.com

ISO 9001 : 2015

Date: 04.04.2024

PRE DESPATCH INSPECTION CERTIFICATE

Name of inspection Agency: National Council for Cement & Building Materials (NCCBM)

Certificate No: SP6597/PDI 121

This is to certify that NCCBM team attended the inspection of works (Manufacturer/Seller) premises of M/s Arceus Infotech Pvt. Ltd. Bhopal on 20.03.2024 & 01.04.2024 for the purpose of inspection of items as described below:

Section 1

Name of the item	24X2 Port Switch Un-managed with wall mounted rack
Code of Item	NA
Supply order No. and date	AIPL/WQ/RUSA/23-24/135, dtd 11.1.2024
Name & Address of Indenter	State Project Directorate, MP Higher Education Quality Improvement Project (MPHEQIP) Address: 192 AVN Towers, RUSA office, Mezzanine Floor, MP Nagar Zone 1, BHOPAL, MADHYA PRADESH-462011, INDIA
Name of Consignee	College wise list attached

Inspection Details

Name of Inspection officer(s)	Sh. Vinay Kant, Sh. P.K. Singh & Sh. Abhishek
Place of Inspection	M/s Arceus Infotech Pvt. Ltd. Bhopal
Product Specification (Tender no.)	WQ INDIA – XL B Series 49/SPD/WB/RFB/2022-23
Date of Inspection	20.03.2024 & 01.04.2024
Total Order Quantity	98
Offered Quantity for Inspection	98
Inspected quantity	98
Accepted Quantity	98
Rejected Quantity	NIL
Reason for Rejection	Not Applicable
Quantity previously passed with inspection certificate no. & Date	NIL



In Pursuit of Excellence in Cement and Concrete

Hyderabad Unit
NCB Bhawan, Old Bombay Road,
Gachibowli, Hyderabad - 500 008
Telangana, India

• Tel : +91-40-23180426/400 • Fax : +91-40-23000343, 2300678
• E-mail : hyd2_ncbhyd@bsnl.in

सत्य प्रतिलिपि

Page 1 of 3

प्राचार्य

शहीद भगतसिंह शास. स्नात. महाविद्यालय
पिपरिया (म.प्र.)

Ahmedabad Unit
Smeat Bungalows, B/h Planet House-2 (PH-2),
Shukan Shubh-Labh Apt., Off Judges Bungalows Road,
Bodakdev, Ahmedabad - 380 054, Gujarat, India
• Tel. : +91-79-26855840 • Fax : +91-79-40305841
• E-mail : brcncb@rediffmail.com



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya

Distt.- Narmadapuram (M.P.)



College Code - 3203

Accredited by NAAC with B+ Grade

AISHE Code - C-35178

Email - hegpgciphos@mp.gov.in, Website - www.sbsgovtpgcollegepipariya.in, Phone/Fax - 07576-220112



SECTION 2

SAMPLING DETAILS

Date of sample collection for Sampling (if required)	As per demo
Sample details- No., Size	As per sample deposited
Name of testing lab	NIL
Date of despatch of sample to lab for testing	NIL
Test report received date	NIL
Result of test report	NIL
Review of raw material (If required)	NIL
Affix Quality control Sticker Number	27881 to 27978
Any other parameter required for inspection of the offered item	NIL

SECTION 3

OBSERVATIONS/DEVIATION SHEET

S.NO	Description of Product specifications	Deviations (if Any)
1.	24X2 Port Gigabit Ethernet Unmanaged Switch Port Density & Redundancy-Port Density & Redundancy 24 x 10/100/1000 Base T-Port SPF (min.1G) uplinks ports Network Protocol and Standard-IEEE 802.af/ Transfer Rate-Min. 100 Mbps on Full Duplex, 10 Mbps on Half Duplex Connector Type-Metal Switch Housing-Metal LEDs-Power, Speed, Link/Activity Short Cable Power Saving-Yes Energy Efficient Ethernet Support (IEEE 802.3az)-Yes MAC Table Size-8K Packet buffer size-1.5 MB Power-Internal (AC 110-240V, 50-60Hz, 1.0A max) Max Power Consumption (Watts)-60W Acoustic Noise Level @ 25°C (dBA)-0 dBA (Fan less) Operating Temperature- 0° to 50° C (32° to 122° F) Electromagnetic compliance (A or B)- Class A Form Factor - rack mounted On site OEM warranty (years)- 5 years Certification- ISO:9001 Network wall mount rack Type of rack - Wall mount type Contact type- Welded Material used - SPCC quality cold rolled steel with toughened glass Front door - Lockable from door with toughened glass Side panel - Fixed Mounting Angle - 19 inch mounting angle made of formed steel Standard finish - Powder coated Number of Fan for Heat dissipation (nos.) - 1 Ceiling mounted fan Static load - 25 Kg	No

Page 2 of 3

सत्य प्रतिलिपि

प्राचार्य

शाहीद भगतसिंह शास्त्र. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code - 3203

Accredited by NAAC with B+ Grade

AISHE Code - C-35178

Email - hegpgciphos@mp.gov.in, Website - www.sbsgovtpgcollegepipariya.in, Phone/Fax - 07576-220112



On site OEM warranty (Year) - 05 Years	
--	--

SECTION 4

OBSERVATION SUMMARY

S.NO.	SUMMARY
1	The Product was inspected for its specification and functionality. There was no deviation observed in the product. The product was found satisfactory and approved for despatch.



Signature.....

Name.....VINAY KANT.....

Designation.....MANAGER.....

Seal.....

सत्य प्रतिलिपि

प्राचार्य

शहीद भगतसिंह शास्त्र. स्नात. महाविद्यालय
पिपरिया (म.प्र.)



Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – heggcpiphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



To,
State Project Directorate (RUSA)
Higher Education Department
192, AVN Tower, Mezzanine Floor
M.P Nagar Zone -1
Bhopal – 462011 Madhya Pradesh.

Dated-26/03/2024

Ref. You're Order No. 2109/49SPD/WB/RFP/2022/Computerlab98HELS Bhopal Dated 15-09-2023.

Respected Sir,

We Acer India Pvt. Ltd will provide warranty for 5 years for the quoted item Acer DT & TFT Machine as mentioned in the bid document for Quantity 842 to be supplied & installed at Madhya Pradesh.

Authorized Signatory

Yours faithfully,
For Acer India Pvt Ltd,



T. A Srivatsan
Entity Head – West Region
Email ID: ta.srivatsan@acer.com
Mobile: 8451022240

Registered Office: Acer India Private Limited, Embassy Heights, 6th Floor, No. 13, Magrath Road, Next to HOSMAT Hospital, Bangalore (Karnataka) - 560025
Mumbai Branch Office: Acer India Private Limited, Unit No. 510, Western Edge II, Village Magathane, Western Express Highway, Borivali East, Mumbai - 400066
CIN: U31909KA1999PTC025698 ☎ +91-22-7161-2000 ✉ ail.easycare@acer.com 🌐 Web: www.acer.com

Exclusive E-Store: store.acer.com/en-in



AnyScanner



WARRANTY CERTIFICATE



WC/S- 101518/23-24/048 Dated: 04/03/2024
P.O. No.: AIPL/WQ/RUSA/23-24/135 Dated: 11/01/2024
INV NO: S/FEB/017 DT: 03/02/2024

To,

Arceus Infotech Private Limited
3rd Floor, 162, Modi Heights,
Zone 2, MP Nagar
Bhopal, Madhya Pradesh – 462011


Subject: Warranty Certificate for XL-B Series Wall Box : 9U X 600W X 600D With Accessories

Dear Sir/Ma'am,

We M/s. Dhananjay Industrial Engineer Private Limited having registered office address at 712, Swastik Disa Corporate Park, L.B.S Marg, Opp. Shreyas Cinema, Ghatkopar (West), Mumbai, Maharashtra-400086. Who are reputed manufacturers of WQ INDIA make Networking/Server Rack, Smart Rack, IPDU, Junction Box, Aircon Racks, Hot & Cold Aisle Containment, In-Row Solution having manufacturing facility at C-24, Ghatkopar Industrial Estate, L.B.S Marg, Ghatkopar (West), Mumbai, Maharashtra-400086. Do hereby give Warranty for for XL-B Series Wall Box : 9U X 600W X 600D With Accessories for 5 Year i.e., from 10/02/2024 to 10/02/2029

For any further clarification in this regard, you may contact us.

Yours faithfully,
For and on behalf of
M/s. Dhananjay Industrial Engineer Private Limited



Authorized Signatory,
Name of Signatory:
Place: Mumbai

DHANANJAY INDUSTRIAL ENGINEER PVT. LTD.
711-713, Swastik Disa Corporate Park, Opp. Shreyas Cinema, L.B.S. Marg, Ghatkopar - West, Mumbai - 400 086.
Tel.: +91-22-6787 3399 • Email : sales@wqindia.com • Website : www.wqindia.com





Warranty Certificate


This is to certify that Digisol Switch Model DG-GS1024/EP is covered under 5 years warranty from the date of invoice.

Rest of the terms & conditions of the warranty policy remain the same as mentioned on the Digisol website.

For DIGISOL SYSTEMS LTD

Myron Rodrigues
MYRON RODRIGUES

Manager, RMA – Goa



DIGISOL SYSTEMS LIMITED

Registered Office : Plot No. L-7, Verna Industrial Estate, Verna, Salcette, South Goa, GA, 403722, IN
Land Phone : +91 832 2885400 | Fax : +91 832 2783395 | helpdesk@digisol.com | www.digisol.com
Corporate Office : CITIPOINT, 7th Floor, Unit No. B-701, B-702 & B-703, Andheri-Kurla Road,
J. B. Nagar, Andheri (East), Mumbai - 400059, INDIA | Land Phone : +91 22 4961 7068
CIN : U31909GA2016PLC012970

A Subsidiary of Smartlink Holdings Ltd



AnyScanner



Amphenol FCi

DECLARATION BY BIDDER

We **M/S FCI OEN CONNETCORS LTD**, declare that we are Manufacturers of Passive cabling systems and Our products supplied are new and supplied through Authorised partner would carry an onsite warranty of 5 years for the supplied products.

Physical damage and mishandling of the products are not covered under warranty clause.

Reference: RUSA PROJECT

Cat6 RJ45 JACK-Yellow-AFCI111UTY 1
86x86 2P FPSHUTTER-WHITE-AFCW11R1DS 1

Yours faithfully,
For and on behalf of For M/s. FCI OEN Connectors Ltd,



Date: 22/03/2024.

Place: Bangalore

(Printed Name)..... Mr. Ramakanta bhat

(Designation) Assistant manager

FCI OEN CONNECTORS LTD. Regd.Office: 29/2089 Tripunithura Road ■ Thykoodam ■ Vyttila ■ Cochin 682019 ■ Kerala ■ India ■ Tel: 91-484-4090700 ■
Fax: 91-484-2304279 ■ URL: www.fci.com ■ Company Incorporation No.U32104KL1981PLC003348
Factory: 123/1 kammanahalli Begur ■ Hobli ■ Bannerghatta Road ■ Bangalore 560076 ■ Karnataka ■ India ■
Tel: 91-080-42819999 ■ Fax: 91-080-42819926



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgcpiphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



March 22, 2024

COMPLIANCE

Switch			
S.No	Technical Specification	Item Description of Min Requirement	DG-GS1024/E (DIGISOL 24 Port Gigabit Ethernet Unmanaged Switch with Metal Casing)
1	Port Density & Redundancy	Port density & redundancy 24 x 10/100/1000 Base T-Port SPF (min1G) uplink ports	24x10/100/1000 Base T
2	Network Protocol and Standard	IEEE 802.3af/	No
3	Transfer Rate	Min 100 Mbps on Full Duplex, 10 Mbps on Half Duplex	yes
4	Connector Type	Metal	yes
5	Switch Housing	Metal	yes
6	LEDs	Power, Speed, Link/Activity	yes
7	Short cable power saving	Yes	yes
8	Energy Efficient Ethernet Support (IEEE 802.3az)	Yes	yes
9	MAC Table Size	8K	yes
10	Packet buffer size	1.5MB	yes
11	Power	Internal (AC 110-240V, 50-60Hz, 1.0A max)	yes
12	Max Power Consumption (Watts)	60 W	yes (<11W)
13	Acoustic Noise Level @ 25° C (dBA)	0 dBA (Fan less)	yes
14	Operating Temperature	0° to 50°C (32° to 122°F)	Yes
15	Electromagnetic compliance (A or B)	Class A	yes
16	Form Factor	rack-mountable	yes

DIGISOL SYSTEMS LIMITED Corporate Office: CITIPOINT, Unit No. B-701, B-702 & B-703, Andheri-Kurla Road, J. B. Nagar, Andheri (East), Mumbai – 400 059. | Land Phone: +91 22 3061 6666 Registered Office: Plot No. L-7, Verna Industrial Estate, Verna, Salcette, South Goa, GA, 403722, IN Land Phone: +91 832 2885400 | Fax: +91 832 2783395 | www.digisol.com

CIN: U31909GA2016PLC012970

A Subsidiary of Smartlink Holdings Limited



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – heggpcpiphos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



17	On Site OEM warranty (Year)	5 Years	Yes (3 years standard + 2 years extended at additional cost)
18	Certification	ISO: 9001	Yes
2 switches of 24 Port Unmanaged Switch in each computer lab is required along with Wall Mount Rack of Size 9U			

SAMIR SHASHIKANT
KAMAT

Digitally signed by SAMIR
SHASHIKANT KAMAT
Date: 2024.03.22 12:28:59 +05'30'

Samir Kamat
Sales Head- Active Products

DIGISOL SYSTEMS LIMITED Corporate Office: CITIPOINT, Unit No. B-701, B-702 & B-703, Andheri-Kurla Road, J. B. Nagar, Andheri (East), Mumbai – 400 059. | Land Phone: +91 22 3061 6666 **Registered Office:** Plot No. L-7, Verna Industrial Estate, Verna, Salcette, South Goa, GA, 403722, IN Land Phone: +91 832 2885400 | Fax: +91 832 2783395 | www.digisol.com

CIN: U31909GA2016PLC012970

A Subsidiary of Smartlink Holdings Limited



AnyScanner

Shaheed Bhagat Singh Government P.G. College Pipariya Distt.- Narmadapuram (M.P.)



College Code – 3203

Accredited by NAAC with B+ Grade

AISHE Code – C-35178

Email – hegpgcpihos@mp.gov.in, Website – www.sbsgovtpgcollegepipariya.in, Phone/Fax – 07576-220112



KYOCERA Document Solutions India Private Limited
CIN – U45200DL2008FTC174869
First Floor, Block - A, First India Place, M. G. Road,
Gurgaon - 122002 (Haryana)
Tel : +91-124-4671000, Fax : +91-124-4671001
Website : www.kyoceradocumentsolutions.co.in

Ref No.-KDID/MAF/49/SPD/WB/RFB/2022-23
Dt: 09-02-2023

Manufacturer's Authorization

We Kyocera Document Solutions India Private Limited , who are official manufacturers of **Kyocera Make of Digital Multifunction Machines, Single Function Printers and Consumables** having factories at LAND LOT 56A, 56B, 56C, VSIP HAIPHONG TOWNSHIP, INDUSTRIAL AND SERVICE PARK, DINH VU-CAT HAI ECONOMIC ZONE, AN LU COMMUNE, THUY NGUYEN DISTRICT, HAI PHONG CITY, VIETNAM HAI PHONG CITY, Vietnam, O, do hereby authorize **M/s.Arceus Infotech Private Limited** to submit a Bid the purpose of which is to provide the following Goods, manufactured by us **M2640idw with 5 Years Warranty** and to subsequently negotiate and sign the Contract. This Authorization is Exclusive for this Tender or / Valid for the period 29th Feb, 2024

We hereby extend our full guarantee and warranty in accordance with respect to the Goods offered by the above firm.

Signed: 
Ravi Saini

Name: Mr. Ravi Saini

Title: Sr. Manager - GeM & Tender Business

Dated on 09th day of February 2023



AnyScanner